

ADD

ADD 安笃达®

Your choice in fence systems 您围界的最佳选择

上海安笃达建筑工程有限公司

SHANGHAI ADD CONSTRUCTION ENGINEERING CO., LTD

地址:上海市闵行区恒南路1328号

ADD:No.1328 Hengnan Road ,Shanghai

南通安笃达护栏有限公司

NANTONG ADD FENCE CO., LTD

厂址:江苏省南通市启东滨海高新区明珠路37号

ADD:No.37 Mingzhu Road ,Nantong City, Jiangsu

电话 (TEL) :+86-21-34783585

传真 (FAX) :+86-21-34783586

E-mail:sales@anduda.com 邮编 (post) :201114

更多信息欢迎点击 (More information) : <http://www.addfence.com>

全国客服热线:40088-40071

全国客服热线:40088-40071

ADD⁺ 为您的场地保护提供多种解决方案

PROVIDING SEVERAL SOLUTIONS FOR YOUR SITE PROTECTION

从远古的竹篱，到今天如长城气势宏伟般的金属围界产品，它们传承相同的文化，发展至今，不仅仅是单一的围界产品，还是集围护和艺术于一身的主体，都体现围界产品的牢固、美观和环保，安笃达致力于“传承围界文化，抒写围界篇章，开创围界史册，服务围界领域”倾力打造围界的高品质、高端的产品，服务于市场及客户，为中国市场提供最佳的场地解决方案。

No matter the bamboo fence of ancient or the imposing metal enclosure product, they pass the same culture. Now the single enclosure product shows its fastness, beauty, and environment protection, as well as its main part setting protection and art in one. ADD is committed to "passing the enclosure field culture, describing the enclosure field chapter, creating the enclosure field history, serving for the enclosure field", and effectively build the high-quality, high-end product for the market and the customers, so that to provide the best site production solutions for the Chinese market.

安笃达始终坚持以品质求生存，以创新求发展，以服务为基础，致力于人类的场地保护事业研发，为客户营造安全、舒适的工作和生活环境是安笃达人永远的使命.....

ADD is always insisted on the good quality for surviving, the innovation for developing, the good service as basement and dedicated to the research of sit protection for human. To create a safe, comfortable working and living environment is the mission of ADD permanentlu.

CONTENTS 目录

网栏、栅栏、护栏、出入口控制

关于安笃达 ABOUT ADD	02
国际先进的防腐技术 INTERNATIONAL ADVANCED ANTI-CORROSION TECHNOLOGY	04-05
周界围护产品 PERIMETER PROTECTION PRODUCTS	06-26
出入口控制产品 ACCESS PRODUCTS	27-42

国际先进的防腐技术

INTERNATIONAL ADVANCED CORROSION-DEFENSE TECHNOLOGY

安笃达采用当前世界最前沿的表面处理工艺，德国预处理技术、美国斯迈尔底涂工艺、阿克苏·诺贝尔粉末，安笃达致力于打造围界行业最佳产品。安笃达多重防腐技术，使之成为业界著名商家之一；


ADD adopts the most advanced surface treatment process of current world. Germany pretreatment technology,the United States mayer primer process, Austria imported powder. So ADD could be called the expert in manufacturinghigh-end, high-quality enclosure products. ADD multiple anti-corrosion technology make it become one of the famousbusiness in the enclosure field.

聚酯彩色涂层：稳定的抗紫外线能力、长久的抗脏能力及表面自洁能力。

Polyester colored coating:stability of anti-ultraviolet ray、permanent anti-dirty ability and self-cleaning ability.

安笃达特殊涂层：采用美国斯迈尔涂层技术，优异的防腐性能及抗撞击能力。

ADD special coating:adopt the United States mayer coating technology, excellent anti-corrosion function and shock resistance ability.



富锌磷化：增强涂膜与基材的附着力。

Zinc phosphate:enhance the adhesion of the coating and the substrate.

热镀锌：围界产品必备处理工艺，起到电化学保护作用，由内到外防止钢铁基材的生锈。

Hot dip galvanizing:essential treatment process for the enclosure product. Play the role of electrochemical protection, avoid the steel substrate to be rusting from inside to outside.



高品质产品保障

HIGH-QUALITY GUARANTEE

安笃达防腐工艺: ADD OF ANTI-CORRON PROCESS

质量保证 Guarantee	外涂层 Outer Coating	内涂层 Inner Coating	中间层 Interface Coating	底涂层 Bottom Coating
10 years	聚酯 Polyester	特殊防腐层 Special Coating	富锌磷化 Zinc phosphide	热镀锌 Hot-dip Galvanizing



聚酯高光系列: POLYESTER HIGH-LIGHT COATING SERIAL

颜色 Color							
颜色编号 Color number	白色 RAL 9010	灰色 RAL 7015	黑色 RAL 9005	绿色 RAL 6005	蓝色 RAL 5005	黄色 RAL 1021	红色 RAL 3020



W

网栏系列

Perimeter protection

06 ADD
Your choice in fence system s



ADD 安笃达
Perimeter protection
Products W1

新款铝制桃形立柱，永不生锈
New aluminum post , never rust



ADD 07
Your choice in fence system s

安笃达周界围护产品 网栏系列W1

ADD PERIMETER PROTECTION PRODUCTS W1

产品概述:PRODUCT OVERIEW

安笃达W1网栏由70×100mm全钢战斧式立柱和高强度钢丝焊接网片组成；产品简洁大气、透视感强、色彩明亮，采用阿克苏诺贝尔粉末静电喷涂，高品质产品；集中欧美艺术品味，诠释了围界产品独一无二的设计理念；产品无需任何连接件，采用扣拉式连接，递次推进式安装，大幅度节省安装时间，提高工程效率。

ADD W1 wire fence product is composed of the 70×100mm once formingseamless peach shape column and the high–strength steel wire welded panel.Theproduct is brief and elegant,with strong sense of perspective and bright color.Moreover,it adopts imported Austrian special powder so that it is indeed the high–end brand product.Focusing on European and American taste of art,it interprets the unique design philosophy for the enclosure products.The product is without any connectors,use of pull–button connection,and installed by push–construction way,That would substantially save installation tirne and improve project efficiency.



产品参数: PRODUCT PARAMETER

产品型号 Products name	W1	W1L
立柱规格mm Post model mm	钢制70×100×1.2	铝制70×100×2.0
安装高度mm Install Height mm	1530、1730、1930、2130	
立柱中心距mm Post center mm	2550	
网格尺寸mm Mesh size mm	50×200(加强槽50×100) (Strengthen slot 50×100)	
网丝直径mm Mesh wire diameter mm	Φ5+Φ5	
涂层颜色 Coating color	标配颜色 Standard color	
防腐工艺 Anti–corrosion process	安笃达特殊防腐处理工艺 ADD Special anti–corrosion process	
质量保证 Quality Insurance	10年 10years	



安笃达周界围护产品 网栏系列W2

ADD PERIMETER PROTECTION PRODUCTS W2

产品概述:PRODUCT OVERIEW

安笃达W2网栏由70×100×1.2mm一次成型无焊缝全钢战斧式立柱及双横丝网片组成；网栏简约通透，双横丝增加网片强度，防剪断、防攀爬等功能；产品采用阿克苏诺贝尔粉末静电喷涂，产品无需任何连接件，推进式安装，大幅度节省安装时间，提高工程效率。

ADD W2 fence by a 70 × 100 × 1.2mm steel welds without forming a column dwelling and double cross wire mesh composition; fencing simple and transparent, double horizontal wire mesh to increase strength, anti–cut, anti–climbing and other functions; Akzo Nobel products using powder coating products without any connection, push installation, significantly saving installation time and increase engineering efficiency.

产品参数: PRODUCT PARAMETER

产品型号 Products name	W2	W2L
立柱规格mm Post model mm	钢制70×100×1.2	铝制70×100×2.0
安装高度mm Install Height mm	1530、1730、1930、2130	
立柱中心距mm Post center mm	2550	
网格尺寸mm Mesh size mm	50×200	
网丝直径mm Mesh wire diameter mm	Φ6+Φ5+Φ6	
涂层颜色 Coating color	标配颜色 Standard color	
防腐工艺 Anti–corrosion process	安笃达特殊防腐处理工艺 ADD Special anti–corrosion process	
质量保证 Quality Insurance	10年 10years	





安笃达周界围护产品 网栏系列W3
ADD PERIMETER PROTECTION PRODUCTS W3

产品概述: PRODUCT OVERIEW

安笃达W3 网栏由一次成型无焊缝全钢方立柱和钢丝焊接网片以及M式连接件等构件组成，将网片通过特定的连接件固定在立柱上。安装方便快捷，适应不平地形、不同角度安装；适用于各类球场，体育设施围护等。

ADD W3 , mainly composed of one-time mould pure steel pillars, without weld bead, meshes welded by steel wire and M-Type connections. Through special - purpose connection, meshes are firmly attached to pillars. The installation is simple and understandable, so products are suitable for rough terrain and can be installed from different angles.

产品参数: PRODUCT PARAMETER

产品型号 Products name	W3
立柱规格mm Post model mm	80×80×2.0
安装高度mm Install Height mm	1530、1730、1930、2130
立柱中心距mm Post center mm	2525
网格尺寸mm Mesh size mm	50×200(加强槽50×100) (Strengthen slot 50×100)
网丝直径mm Mesh wire diameter mm	Φ5+Φ5
涂层颜色 Coating color	标配颜色 Standard color
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process
质量保证 Quality Insurance	10年 10years



安笃达周界围护产品 网栏系列W4
ADD PERIMETER PROTECTION PRODUCTS W4

产品概述: PRODUCT OVERIEW

安笃达W4网栏由一次成型无焊缝全钢工型立柱和高强度焊接网片组成，用蜘蛛爪连接件将网片固定在立柱上。安装方便快捷，适应不平地形、不同角度安装。

ADD W4 using a molding sealless steel-column work and high strength welded mesh consisting of the mesh is fixed to the column with spider claw connections. Fast and easy to install , adapt to uneven terrain, different angle installation.

产品参数: PRODUCT PARAMETER

产品型号 Products name	W4
立柱规格mm Post model mm	55×100×1.5
安装高度mm Install Height mm	1530、1730、1930、2130
立柱中心距mm Post center mm	2530
网格尺寸mm Mesh size mm	50×200(加强槽50×50) (Strengthen slot 50×50)
网丝直径mm Mesh wire diameter mm	Φ5+Φ5
涂层颜色 Coating color	标配颜色 Standard color
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process
质量保证 Quality Insurance	10年 10years



安笃达周界围护产品 网栏系列W5高密网/高安全围栏

ADD PERIMETER PROTECTION PRODUCTS W5 HIGH SECURITY FENCE



产品概述: PRODUCT OVERIEW

安笃达W5网栏采用无焊缝全钢方立柱，提高了安全性，超密的网格，防剪断功能，独家焊接技术而成的网片大大提高了网片的牢固度，采用防盗螺栓及封板组合，将网片封闭在封板内侧，更加稳定，牢固。

ADD W5 mesh column with non-welded steel square column, improve security, super-dense grid, anti-shear function, the sole of the welding technology from the mesh greatly enhanced the firm ness of the mesh, the use of anti-theft bolts And seal plate combination n, the mesh enclosed in the closure of the inside, more stable, solid.



产品型号 Products name	W5
立柱规格mm Post model mm	80×80×2.0
安装高度mm Install Height mm	2000、2200
立柱中心距mm Post center mm	2000、2500
网格尺寸mm Mesh size mm	75×12.5
网丝直径mm Mesh wire diameter mm	Φ4+Φ4
涂层颜色 Coating color	标配颜色 Standard color
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process
质量保证 Quality Insurance	10年 10years



安笃达周界围护产品 网栏系列W6 区域隔断

ADD PERIMETER PROTECTION PRODUCTS W6 ISOLATION FENCE

产品概述: PRODUCT OVERIEW

安笃达W6车间隔离网，采用优质热镀锌方钢立柱及边框网片组合而成，厚实的U型卡接件连接，使网栏产品更加结实牢固，立柱采用法兰盘固定，适合车间隔离、设备围护等场地使用；

ADD W6 workshop isolation network, the use of high-quality hot-dip galvanized square steel column and the combination of frame mesh, thick U-shaped card connector to connect the product more solid solid mesh column fixed flange fixed for the workshop Isolation, equipment, such as enclosure use of the site.


产品型号 Products name	W6
立柱规格mm Post model mm	50×50×2.0
安装高度mm Install Height mm	2000、2200
边框规格mm Post Model mm	30×30×1.2
立柱中心距mm Post center mm	2000
网格尺寸mm Mesh size mm	50×50
网丝直径mm Mesh wire diameter mm	Φ4+Φ4
涂层颜色 Coating color	标配颜色 Standard color
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process
质量保证 Quality Insurance	10年 10years



安笃达周界围护产品 网栏系列W9勾花网

ADD PERIMETER PROTECTION PRODUCTS W9

产品概述:



安笃达W9勾花网围栏是由Φ89×2.0的圆形立柱及勾花型式的网片加上专用零配件组成，勾花网的丝经为3.9mm，表面材料为进口PE/PVC，含抗紫外线颗粒、抗氧化、抗老化成分，独特的表面处理，让表面材料附着力更强，解决脱落问题，使用寿命更长久；勾花网最高可做到6000mm，立柱顶部用Φ48×1.5圆钢连接。



PRODUCT OVERVIEW

ADD W9 chain link fence fence round the post by Φ89 × 2.0 and the type of chain link fence plus mesh composed of special parts, wire through the chain link fence to 3.9mm, surface materials imported PE / PVC, including UV particles, anti-oxidation, anti-aging ingredients, unique surface treatment, so that the surface material adhesion stronger, shedding solve problems, longer service life; chain link fence can be done up to 6000mm, the top of the column with Φ48 × 1.5 round connection.



产品参数: PRODUCT PARAMETER

产品型号 Products name	W9
立柱规格mm Post model mm	Φ89×2.0
横栏规格mm Bar model mm	Φ48×1.5
安装高度mm Install Height mm	2000、3000、4000
立柱中心距mm Post center mm	3000
网格尺寸mm Mesh size mm	55×55
网丝直径mm Mesh wire diameter mm	Φ3.9
涂层颜色 Coating color	标配颜色 Standard color
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process
质量保证 Quality Insurance	10年 10years



栅栏系列

Perimeter protection

Z





ADD

安笃达周界围护产品 栅栏系列Z2
ADD PERIMETER PROTECTION PRODUCTS Z2

产品概述: PRODUCT OVERIEW

安笃达Z2栅栏，由热镀锌方管组成，二条横栏设计。整体简洁，小而轻巧。而多样立柱也带来产品的大气、美观。

ADD Z2 bar fence product is composed by hot-dip galvanizing square tube with two barsdesign.Overall it is simple,small and light.And thecolumn couldalso bring the elegance and the beauty.

产品参数: PRODUCT PARAMETER

产品型号 Products name	Z21	Z22	Z23	Z24	Z22L
横栏规格mm Bar Model mm	32×32×1.2	40×40×1.2	40×60×1.5	铝制 60×40×2.0	40×40×1.2
竖栏规格mm Post Model mm	19×19×1.0	19×19×1.0	25×25×1.0	19×19×1.0	19×19×1.0
竖栏间距mm Post center Distance	105				
装饰性能 Decoration function	无装饰圈 No decoration ring				
立柱规格mm Post Model mm	50×50×2.0、80×80×2.0				铝制 70×100
安装高度mm Install Height mm	1300、1500、1700				
立柱中心距mm Post center mm	2500、3000				
涂层颜色 Coating color	标配颜色 Standard color				
防腐工艺 Anti-corro sion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process				
质量保证 Quality Insurance	10年 10years				

ADD 安笃达
Perimeter protection
Products Z2



NEW



NEW



新款铝制立柱，永不生锈
New aluminum post , never rust



安笃达周界围护产品 栅栏系列Z3
ADD PERIMETER PROTECTION PRODUCTS Z3

产品概述: PRODUCT OVERIEW

安笃达Z3栅栏，由热镀锌方管组成，三条横栏设计。栅栏整体视觉体现建筑与艺术结合新视野，可选单环装饰圈；适用于：新建厂房、工业园、住宅小区等建设围护。

ADD Z3 fence, composed of hot-dip galvanized square tube, three cross bar design. Fence visual and architectural integration of the overall vision of the new, optional single-ring decorative ring; apply to: new factories, industrial parks, residential buildings and other building envelope

产品参数: PRODUCT PARAMETER

产品型号 Products name	Z31	Z32	Z33	Z32L
横栏规格mm Bar Model mm	32×32×1.2	40×40×1.2	40×60×1.5	40×40×1.2
竖栏规格mm Post Model mm	19×19×1.0	19×19×1.0	25×25×1.0	19×19×1.0
竖栏间距mm Post center Distance	105			
装饰性能 Decoration function	可选装饰圈 With decoration ring for the upper and the lower			
立柱规格mm Post Model mm	50×50×2.0、80×80×2.0			铝制 70×100
安装高度mm Install Height mm	1300、1500、1700			
立柱中心距mm Post center mm	2500、3000			
涂层颜色 Coating color	标配颜色 Standard color			
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process			
质量保证 Quality Insurance	10年 10years			

ADD 安笃达
Perimeter protection
Products Z3



安笃达周界围护产品 栅栏系列Z4

ADD PERIMETER PROTECTION PRODUCTS Z4

产品概述: PRODUCT OVERIEW

安笃达栅栏系列 Z4 产品采用一次成型无焊缝全钢热镀锌方管加工而成的立柱、横栏、竖栏及配件组合而成。安笃达栅栏系列产品具备独特的产品性能。

Fence product of ADD Z4 Series is composed of horizontal fence and vertical bar, which are processed from one-time mould pure steel pillars, without weld bead, and hotly galvanized zinc. The special performance of ADD Series can be named as follows.

产品特点: PRODUCT CHARACTERISTICS

◇ 独特的枪尖处理工艺：安笃达栅栏系列产品在竖条枪尖处经过一道独特的处理工艺，确保枪尖不会开裂、并且看起来圆润具备艺术美。

special A-Shape top:The A-Shape top on vertical bar is processed by a special craft, which ensures no crack on A-Shape top and makes it look beautiful.

◇ 独特的组装形式：安笃达栅栏产品采用全组装结构，无任何焊接点，确保产品不会生锈，延长产品使用寿命。

special assemble form:The structure of the full assemble form, without any welding points, ensures no rust spots and long service life.



◇ 独特的内卡式连接：安笃达栅栏产品采用具备自主知识产权的内卡式连接工艺，既能让客户放心采购同时保护了产品本身的强度。内卡式工艺将卡接件隐藏在产品内部，避免外部环境损伤连接部位，同时又使产品看起来浑然一体，美观大方。

special Inside connection:Because of Inside connection craft with Intellectual property rights, ADD Fence Product not only can assure customer that they can purchase product with no worry but also can ensure the speciality of product itself. Inside connection craft is to have link points hidden in the inner of product. This craft not only can avoid damage on connecting part, caused by outer environment, but also makes product look perfect and beautiful, without any flaw.

◇ 使用寿命长：安笃达引进国外先进的多层次防腐工艺以及国外进口设备，确保产品具有更好的防腐性能，进口粉末涂层保证了产品室外超长的使用寿命。

Long Service Life:Foreign advanced multilevel anticorrosive craft and foreign imported equipment, introduced by ADD, ensure the perfect combination between product and anticorrosive craft. Imported paintcoat powder promise the long service life of product in the outdoor.

◇ 安装快捷：产品安装简单、快捷降低了安装成本，同时适用于各种复杂地形。

Quick installation:The installation is simple and understandable, so the costs can be cut quiet a few. It also can be applied to many kinds of complicate terrain.



PRODUCT PARAMETER

产品型号 Products name	Z41	Z42	Z43
横栏规格mm Bar Model mm	32×32×1.2	40×40×1.2	40×60×1.5
竖栏规格mm Post Model mm	19×19×1.0	19×19×1.0	25×25×1.0
竖栏间距mm Post center Distance	105		
装饰性能 Decoration function	可选装饰圈 With decoration ring for the upper and the lower		
立柱规格mm Post Model mm	50×50×2.0、80×80×2.0		
安装高度mm Install Height mm	1300、1500、1700		
立柱中心距mm Post center mm	2500、3000		
涂层颜色 Coating color	标配颜色 Standard color		
防腐工艺 Anti-corrosion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process		
质量保证 Quality Insurance	10年 10years		

ADD安笃达

Perimeter protection
Products Z4

20 ADD

Your choice in fence systems

ADD 21

Your choice in fence systems

安笃达周界围护产品 栅栏系列 其他定制产品
ADD PERIMETER PROTECTION PRODUCTS



ADD 安笃达
Perimeter protection
Products CUSTOM





H

护栏系列

Perimeter protection



安笃达周界围护产品 护栏系列H1 ADD PERIMETER PROTECTION PRODUCTS H1

产品概述: PRODUCT OVERIEW


安笃达H1护栏，由热镀锌方管（立柱、横栏及竖栏）组成，现代工艺，选材，安装，解决原始泥墙的通透性，丰富的色彩，让建筑与护栏融为一体。前沿的表面处理技术，解决锈蚀给居家和办公环境带来的困扰，广泛用于民用、商业建筑等。

ADD H1 guardrail fence product is composed by hot-dip galvanizing square tube(column,bar and post).The modern process,the material selection,and the installation solve the original walls of the permeability.The plentiful colors coordinate the building and the fence.

产品参数: PRODUCT PARAMETER

产品型号 Products name	H11	H12
立柱规格mm Post Model mm	40×40×1.2	50×50×1.5
横栏规格mm Bar Model mm	32×32×1.2	40×40×1.2
竖栏规格mm Post Model mm	19×19×1.0	19×19×1.0
安装方式 Installation Way	地脚板安装 Bed plate Installation	
面管规格mm Tube Model mm	40×60×1.5	40×80×1.5
安装高度mm Install Height mm	600-1400	
立柱中心距mm Post center mm	1100-2000	
涂层颜色 Coating color	标配颜色 Standard color	
防腐工艺 Anti-corro sion process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process	
质量保证 Quality Insurance	10年 10years	





出入口控制系列

Access Control

M



产品参数: PRODUCT PARAMETER

产品型号 product Model	M1			
通道宽度mm Access Width mm	7000	8000	10000	12000
门体长度mm Door length mm	11000	12000	16000	18000
安装高度mm Install Height mm	1600、1800、2000			
开门方式 Opening Way	电动 Electric			
配件 Attachment	控制/安全附件 Control/Safety Attachment			
主梁规格mm Main Beam Model mm	220×250×6.0			
门框规格mm Door frame Model mm	100×100×2.5			
竖栏规格mm Post Model mm	20×40×1.5			
电机型号 Motor Model	悬浮门专用电机			
涂层颜色 Coating Color	标配颜色 Standard Color			
防腐工艺 Anti-corrosion Process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process			
质量保证 Qualitu Insurance	主构件10年,电器件质保1年 10years for main component,1 years for electrical			



安笃达出入口控制产品 门禁系列M1
ADD ACCESS PRODUCTS M1

产品概述: PRODUCT OVERIEW

安笃达M1无轨悬浮门采用热镀锌坚固钢材结合而成，门体侧边平移，能更好的利用有限的场地空间，提供最大最有效的出入口宽度。该产品相对自承重设计，无需轨道行驶，不受道路不平、沙石、冰雪阻碍等影响，电机集欧美机电技术和智能化技术于一体，具开、关防撞检测，气压防护，车辆检测，门体运行警示功能。

ADD M1 trolley suspended door is made of the hot-dip galvanizing, rigid steel material. The laterad sliding door could have a better use of the limited space and provides the largest and the most effective access width. The product is with relative self-load-bearing design, no traffic,free from the impacts of the uneven road, the sand obstacle, the snow&ice etc. Electrical equipment sets the European and American electrical technology, intelligent technology in one. It is with the function of opening & closing shock resistance testing, pressure protection, vehicle detection and door warning.





安笃达出入口控制产品 门禁系列M2

ADD ACCESS PRODUCTS M2

产品概述: PRODUCT OVERIEW

安笃达M2有轨平移门采用热镀锌钢管主梁和坚固管材结合而成，门体侧边平移，能更好的利用有限的场地空间，提供最大最有效的出入口宽度。滑轮驱动装置等部位精心设计，运行平稳，电机集欧美机电技术和智能化技术于一体，具开、关门防撞检测，气压防护，车辆检测，门体运行警示功能。

ADD M2 rail sliding door is composed of the hot dip galvanizing steel pipe main beam and the slid tube.The laterad slidingdoor could have a better use of the limited space and provides the largest and the most effective access width.Elaborate design of the pulley drive device and others could make the products run smoothly.Electrical equipment sets the European and American electricaltechnology, intelligent technology in one. It is with the function of opening & closing shock resistance testing, pressure protection, vehicle detection and door warning.



产品参数: PRODUCT PARAMETER

产品型号 product Model	M2			
通道宽度mm Access Width mm	7000	8000	10000	12000
门体长度mm Door length mm	8000	9000	11500	13500
安装高度mm Install Height mm	1600、1800、2000			
开门方式 Opening Way	电动/手动 Electric/Manual			
配件 Attachment	控制/安全附件 Control/Safety Attachment			
主梁规格mm Main Beam Model mm	100×150×3.0			
门框规格mm Door frame Model mm	80×80×2.0			
竖栏规格mm Post Model mm	40×40×1.2			
电机型号 Motor Model	进口平移门专用电机			
涂层颜色 Coating Color	标配颜色 Standard Color			
防腐工艺 Anti-corrosion Process	安笃达特殊防腐处理工艺 ADD Special anti-corrosion process			
质量保证 Qualitu Insurance	主构件10年,电器件质保1年 10years for main component,1 years for electrical			





安驾达出入口控制产品 门禁系列MS

ADD ACCESS PRODUCTS MS

产品概述: PRODUCT OVERIEW

安驾达MS安全伸缩平移门采用全铝合金组合而成，分段式整体拼接，开关门速度是正常单片门的2倍，有效的减少开关门时间；开门口退位是正常平移门的一半，即占地节省一半，合理利用有效空间；标配电子防夹、防撞、防爬等功能，可接入智能化控制系统；优质的铝合金材质、防水轴承、不锈钢304螺丝拼装，使用寿命更长久。

ADD MS safety telescopic sliding door is made of all aluminum alloy, segmented overall splicing, the speed of opening and closing the door is 2 times that of a normal single-piece door, which effectively reduces the time of opening and closing the door; That is to save half of the land and reasonably use the effective space; standard electronic anti-pinch, anti-collision, anti-climbing and other functions can be connected to the intelligent control system; high-quality aluminum alloy material, waterproof bearings, stainless steel 304 screws assembled, life Longer



安笃达出入口控制产品 门禁系列M3
ADD ACCESS PRODUCTS M3

产品概述：PRODUCT OVERIEW

安笃达M3平开门采用热镀锌钢管结合而成，门体两边平开，使用方便，能更好的利用出入口宽度。配合M1 (M2)系列产品使用，满足不同通道需求。

ADD M3 swing uses a combination of hot dip galvanized steel pipe, Flat on both sides of door opening, easy to use, better use of entrance width. With the M1 (M2) series of products, products become more solemn dignity.

产品参数：PRODUCT PARAMETER

产品型号 Products name	M3
立柱规格mm Post model mm	100×100×2.0、80×80×2.0
边框规格mm Post Model mm	40×60×1.5
填充物 Filler	栅栏型 25×25×1.0 网栏型 50×200 丝径Φ5
安装高度mm Install Height mm	1200–2500
立柱中心距mm Post center mm	根据门禁宽度
涂层颜色 Coating color	标配颜色 Standard color
防腐工艺 Anti–corrosion process	安笃达特殊防腐处理工艺 ADD Special anti–corrosion process
质量保证 Quality Insurance	10年 10years





安驾达出入口控制产品 门禁系列M4 旋转门

ADD ACCESS PRODUCTS M4

产品概述: PRODUCT OVERIEW

M4旋转门是一种被推荐使用在重要场地的人行出入口控制设施。M4旋转门只有得到许可的人员才可进入，从而实现了场地高效、安全的控制。

M4 revolving door is a walk is recommended for use in access control facility site an important position. The facility personnel to enter the venue of the pedestrian control, only to give staff permission before entering, thus realizing space efficient, tangible protection .

产品参数: PRODUCT PARAMETER

产品型号 Products name	M4-10	
通道宽度mm Passage Width mm	1500	3000
安装高度mm Install Height mm	2300	
开门方向 Open Direction	双向Two-way	
周转量 Frequency	15-30 P/min	
电源 Power	220V 50Hz	
电流 Current	2A	
涂层颜色 Coating color	标配颜色 Standard color	
防腐工艺 Anti-corrosion process	安驾达特殊防腐处理工艺 ADD Special anti-corrosion process	



产品参数: PRODUCT PARAMETER

产品型号 Products name	M4-20
宽度mm Width mm	1500
安装高度mm Install Height mm	2300
通道宽度mm Width mm	600
开门方向 Open Direction	双向Two-way
周转量 Frequency	20-30 P/min
电源 Power	220V 50Hz
功耗 Power	110W
材质 Material	AISI304 不锈钢

安驾达出入口控制产品 门禁系列MP 速通摆闸
ADD ACCESS PRODUCTS MP

产品概述: PRODUCT OVERIEW

MP系列不锈钢款速通摆闸；是办公人行通道控制设施；强大稳定的核心控制系统，配置高品质电机，搭载ARM9控制系统，实现精准控制；智能先进的人行通道设计理念；采用矩阵式光电立体技术，12V12的逻辑算法，可灵敏的感知到非法入侵、反向通行、尾随等非法行为。通过声、光等形式发出警示。可与其他安防系统联动。

MP series stainless steel quick-pass swing gate; office pedestrian walkway control facility; strong and stable core control system, equipped with high-quality motors, equipped with ARM9 control system to achieve precise control; intelligent advanced pedestrian walkway design concept; matrix-type photoelectric stereo Technology, 12V12 logic algorithm, can sensitively detect illegal intrusion, reverse traffic, trailing and other illegal acts. Warnings are issued through sound and light. Can be linked with other security systems.

产品参数: PRODUCT PARAMETER

产品型号 Products name	MP-10	MP-40	MP-60	MP-130	MP-1 60
宽度mm Width mm	168	1400	1520	1500	1500
安装高度mm Install Height mm	980	980	980	980	980
门闸材质 Door material	10mm有机玻璃	10mm有机玻璃	10mm有机玻璃	10mm有机玻璃	3mm厚不锈钢圆管
周转量 Frequency	20-30 P/min	20-30 P/min	20-30 P/min	20-30 P/min	20-30 P/min
电源 Power	220V 50Hz	220V 50Hz	220V 50Hz	220V 50Hz	220V 50Hz
功耗 Power	110W	110W	110W	110W	110W
材质 Material	AISI304 不锈钢	AISI304 不锈钢	AISI304 不锈钢	AISI304 不锈钢	AISI304 不锈钢



安驾达出入口控制产品 门禁系列MW 速通翼闸
ADD ACCESS PRODUCTS MW

产品概述: PRODUCT OVERIEW

MW系列不锈钢款速通翼闸；是办公人行通道控制设施；强大稳定的核心控制系统，配置高品质电机，搭载ARM9控制系统，实现精准控制；智能先进的人行通道设计理念；采用矩阵式光电立体技术，12V12的逻辑算法，可灵敏的感知到非法入侵、反向通行、尾随等非法行为。通过声、光等形式发出警示。可与其他安防系统联动。

MW series stainless steel speed pass wing brake; office pedestrian walkway control facility; strong and stable core control system, equipped with high-quality motors, equipped with ARM9 control system to achieve precise control; intelligent advanced pedestrian walkway design concept; matrix-type photoelectric stereo Technology, 12V12 logic algorithm, can sensitively detect illegal intrusion, reverse traffic, trailing and other illegal acts. Warnings are issued through sound and light. Can be linked with other security systems.



产品参数: PRODUCT PARAMETER

产品型号 Products name	MW-10	MW-30
宽度mm Width mm	1200×300	1200×350
安装高度mm Install Height mm	980	980
门闸材质 Door material	20mm有机玻璃	52mm厚PU软门翼
周转量 Frequency	20-30 P/min	20-30 P/min
电源 Power	220V 50Hz	220V 50Hz
功耗 Power	110W	110W
材质 Material	AISI304 不锈钢	AISI304 不锈钢



安驾达出入口控制产品 门禁系列M5 道闸
ADD ACCESS PRODUCTS M5

产品概述: PRODUCT OVERIEW

M5道闸，出入口控制配套产品，一般用于车辆流量较大的出入口、公路收费站、停车场出入口等。道闸可单独通过无线遥控实现起落杆，也可以通过停车场管理系统（即IC刷卡管理系统）实行自动管理状态，入场取卡放行车辆，出厂收费自动放行。

M5 barrier, access control accessory products, generally used for traffic flow larger entrances and exits, highway toll stations, parking entrances and exits. Barrier can be individually achieved through the wireless remote control landing gear, but also through the parking management system (ie, IC card management system) to automatically manage the state, admission to take the card to release vehicles, factory charges automatically released.





安笃达出入口控制产品 门禁系列M6 岗亭
ADD ACCESS PRODUCTS M6



作为国内围界市场最具竞争的企业之一，安笃达已经为阿斯利康AstraZeneca、科思创COVESTRO、博尔豪夫Böllhoff、西门子SIEMENS、巴斯夫BASF、可口可乐COCA-COLA、3M、毕克BYK、开市客COSTCO、艾迪科ADEKA、巴克斯酒业BKS WINE、海立HIGHLY、奇华顿Givaudan、米其林Michelin、盛威科SIEGWERK、味好美McCORMICK、印孚瑟斯Infosys、库卡KUKA、日日顺、菜鸟物流园、开利空调、十一科技、海诚院、巴比馒头、天合光能Trinasolar、正泰CHINT、京东JD、苏宁Suning、上海电气、中广核CGN以及商飞COMAC等著名企业和著名工程提供服务。

	 博尔豪夫			
 开利空调	 The Chemical Company		 巴克斯酒业	 迪士尼
		 Fusion for the Future		
 京东	 苏宁	 日日顺		
 海立	 上海交通大学	上海杨浦区德国学校 上海杨浦区法国学校	 上海电气	 中国华电
 中国商飞	 上海造币	 界龙集团		 中信国健
	 中广核	 巴比馒头	 中国移动	 上海地铁

As one of the enterprises around the industry's most competitive market, ADD already: AstraZeneca, COVESTRO, EMAG, SIEMENS, BASF, OCA-COLA, 3M, Honeywell, RAAS, Yamaha, CK, STC, Givaudan, Michelin, Johnson Matthey, Lamberti, APRA, SPCS, Continental, Das Auto, Brilliance Auto, Trinasolar, CHINT, JD, Suning, Lee, CGN and COMAC, AVIC and other famous enterprises and famous works to provide services.